

# Heme Malignancy Disease-Oriented Team

---

## Clinical Research Treatment Trial Flowchart

### Clinical Research Managers:

Stephanie Osorio  
Judit Castellanos

### Clinical Research Coordinators:

Alice Ting  
Michael Kunicki  
Kelsey McAbee  
Georgina Alvarez-Diaz  
Melisa Duvnjak  
Makena Castillo  
Cristian Franco

### Data Coordinators:

Heather Franson  
Mario Diaz  
Sarahy Martinez

## Newly diagnosed

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

### UCI 24-121

ASTX030 in Subjects  
w/Myeloid Neoplasm or in  
Combo w/Venetoclax in  
Subjects w/AML or MDS

Accrual: 4/5

Coord: Georgina Alvarez-  
Diaz

### UCI 20-50

N-Acetylcysteine in MPN to  
Improve Disease Markers &  
Symptoms

Accrual 15/27

Coord: Kelsey McAbee

### UCI 26-12 (NEW)

A Phase 3 Randomized,  
Double-blind, Placebo-  
controlled Global Study of  
Sapablursen in Polycythemia  
Vera

Accrual:0

Coord: TBA

### ETCTN 10675

A Randomized Phase II Trial  
of ASTX727 +/-  
Iadademstat in  
Accelerated/Blast-Phase  
Philadelphia Chromosome-  
Negative  
Myeloproliferative  
Neoplasms (MPNs)

Accrual: 0/5

Coord: Georgina Alvarez-  
Diaz

## Newly diagnosed

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

### High-Risk

#### MM1MDS-A01

A Randomized Phase II Trial of Enasidenib-Based Therapies Versus Cedazuridine-Decitabine in Higher-Risk IDH2-Mutated Myelodysplastic Syndrome: A MyeloMATCH Sub-Study

Accrual: 0/5

Coord: Georgina Alvarez-Diaz

#### UCI 24-121

ASTX030 in Subjects w/Myeloid Neoplasm or in Combo w/Venetoclax in Subjects w/AML or MDS

Accrual: 4/5

Coord: Georgina Alvarez-Diaz

Low-Risk

Molecularly-Driven

HSCT

## Relapsed/Refractory

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

### Low-Risk

#### UCI 21-239

IRAK 1/4 inhibitor, R289, in patients w/ refractory or resistant lower-risk MDS

Accrual: 2/5

Coord: Georgina Alvarez-Diaz

#### UCI 25-193

ICP-248 in Combination with Azacitidine for the Treatment in Patients with Myeloid Malignancies

Accrual: 0/7

Coord: Georgina Alvarez-Diaz

### Molecularly-Driven

### High-Risk

## Newly diagnosed

### Intensive

#### ETCTN-10596

SNDX-5613 + Daunorubicin and Cytarabine in Newly Diagnosed Acute Myeloid Leukemia (NPM1 Mutated/FLT3 Wildtype with Higher-Risk Features or MLL/KMT2A Rearranged)

Accrual: 0/5

Coord: TBA

#### MYELOMATCH

MYELOMATCH, Master Screening and Reassessment Protocol (MSRP) for Tier Advancement in the NCI MyeloMATCH Clinical Trials

Accrual: 0/5

Coord: Makena Belle Castillo

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

### Non-Intensive

#### ETCTN-10630 (Suspended)

Ladademstat in Combination with Venetoclax and Azacitidine in Patients with Post MDS Transformation to AML

Accrual: 2/7

Coord: TBA

#### UCI 24-121

ASTX030 in Subjects w/Myeloid Neoplasm or in Combo w/Venetoclax in Subjects w/AML or MDS

Accrual: 4/5

Coord: Georgina Alvarez-Diaz

#### UCI 22-81

HM43239 in patients w/ R/R AML

Accrual: 3/6

Coord: Georgina Alvarez-Diaz

#### KMT2A-r/NPM1-m

#### UCI 23-44

Venetoclax/Azacitidine v.s Venetoclax+ KO-530 v.s cytarabine/daunorubicin (7+3)+ KO-539 in AML

Accrual: 9/10

Coord: Georgina Alvarez-Diaz

#### FLT3 mutation

#### UCI 21-216 (suspended)

Gilteritinib+Venetoclax+Azacitidine in patients w/ FLT3 mutant AML not eligible for intensive induction chemotherapy

Accrual: 2/5

Coord: TBA

## Newly diagnosed

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

### Non-Intensive

#### UCI 25-166

An Open-label Phase 3 Study Evaluating the Efficacy and Safety of QTX-2101 in Newly Diagnosed Acute Promyelocytic Leukemia

Accrual: 0/5  
Coord: TBA

### KMT2A-r/NPM1-m

#### UCI 25-20

Assessing Ziftomenib in Combination with Either Standard of Care Nonintensive (Venetoclax+Azacitidine) or Intensive (7+3) Therapy in Patients with Untreated NPM1 Mutated or KMT2A Rearranged AML

Accrual: 3/5  
Coord: Georgina Alvarez-Diaz

### IDH1-R132-m

#### UCI 25-90

Olutasidenib in Combination with Azacitidine Followed by Olutasidenib Maintenance After Venetoclax Plus a Hypomethylating Agent Regimen (HMA-VEN) for IDH1-Mutated Acute Myeloid Leukemia (AML)

Accrual: 0/5  
Coord: TBA

## Relapsed/Refractory

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

Molecularly-Driven

### 2<sup>nd</sup>+ Line

#### UCI 22-81

HM43239 in patients w/ R/R  
AML

Accrual: 3/6

Coord: Georgina Alvarez-Diaz

### 2<sup>nd</sup> Line Only

#### UCI 25-105 (NEW)

LYT-200 in patients w/ R/R  
AML or high-risk MDS

Accrual: 0/5

Coord: TBA

### Non-Intensive

#### UCI 25-193

ICP-248 in Combination  
with Azacitidine for the  
Treatment in Patients with  
Myeloid Malignancies

Accrual: 0/7

Coord: Georgina Diaz

## Relapsed/Refractory

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

### Molecularly-Driven

#### UCI 23-44

Venetoclax/Azacitidine v.s  
Venetoclax+ KO-530 v.s  
cytarabine/daunorubicin  
(7+3)+ KO-539 in AML

Accrual: 9/10

Coord: Georgina Alvarez-  
Diaz

#### KMT2A-r/NPM1-m

#### UCI 23-154

Ziftomenib combinations for  
the KMT2A-  
rearranged/NPM1 mutant  
R/R AML

Accrual: 3/5

Coord: Georgina Alvarez-  
Diaz

Maintenance

High-Risk, HSCT

Salvage Therapy

## Newly Diagnosed

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

### Ph+ only

Age ≥ 60 years or <60 if non-intensive  
CD19+ (≥ 20% lymphoblasts)

#### SWOG-21CTP-LEUK01

Phase II Trial of Asciminib,  
Dasatinib, Prednisone, and  
Blinatumomab for Participants with  
Newly Dx Ph+ B-ALL

Accrual: 1/5  
Coord: Makena Belle Castillo

Age ≥ 75 years or >18 if non-intensive  
CD22+ (≥ 20% lymphoblasts)

#### A041703: Cohort 3

Inotuzumab Ozogamicin Followed  
by Blinatumomab for Ph-Negative,  
CD22-Positive B-Lineage ALL in  
Newly Diagnosed Older Adults or  
Adults with R/R Disease

Accrual: 2/5  
Coord: Makena Belle Castillo

### Ph- only

Age ≥ 18 years & < 40 years  
CD22+ (≥ 20% lymphoblasts)

#### A041501

Addition of Inotuzumab  
Ozogamicin to frontline  
therapy in young adults (18-  
39y/o)

Accrual: 10/15  
Coord: Makena Belle Castillo

Age ≥ 18 years

#### UCI 25-104 (NEW)

subcutaneous blinatumomab  
vs. intravenous  
blinatumomab in newly  
diagnosed adults with (Ph)- B  
cell precursor ALL

Accrual: 0/5  
Coord: TBD

Age ≥ 60 years  
CD22+ (≥ 20% lymphoblasts)

#### A041703: Cohort 1

Inotuzumab Ozogamicin  
Followed by Blinatumomab for  
Ph-Negative, CD22-Positive B-  
Lineage ALL in Newly Diagnosed  
Older Adults or Adults with R/R  
Disease

Accrual: 2/5  
Coord: Makena Belle Castillo

## Relapsed/Refractory

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

### Ph+ only

### Ph- only

Age ≥ 12 years  
CD19+

Age ≥ 18 years  
CD22+

Age ≥ 18 years  
CD22+ (≥ 20% lymphoblasts)

#### 26-53 (New)

A PhII/III Randomized, Open-Label, Comparison Study of MK-1045 vs Blinatumomab in patients with R/R CD19+ B-ALL

Accrual: 0/5

Coord: TBD

#### UCI 25-209 (NEW)

UCART22 (allogeneic Anti-CD22 CAR-T) in R/R CD22+ B-ALL

Accrual: 0/3

Coord: TBD

#### A041703: Cohort 2

Inotuzumab Ozogamicin Followed by Blinatumomab for Ph-Negative, CD22-Positive B-Lineage ALL in Newly Diagnosed Older Adults or Adults with R/R Disease

Accrual: 2/5

Coord: Makena Belle Castillo



## Newly diagnosed

■ Open to Accrual   ■ Low Accruing   ■ Pending Activation/Suspended

### UCI 25-166 (NEW)

An Open-label Phase 3 Study Evaluating  
the Efficacy and Safety of QTX-2101 in  
Newly Diagnosed Acute Promyelocytic  
Leukemia

Accrual: 0/5  
Coord: TBA

## Newly diagnosed

### UCI 23-189

Frontline Ruxolitinib with De-Intensified HLH-94 for Adults with Hemophagocytic Lymphohistiocytosis (HLH)

Accrual: 1/6

Coord: TBA

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

## Relapsed/Refractory

2<sup>nd</sup>+ Line

UCI 23-167

Phase I- TERN-701 in patients  
w/CML

Accrual: 2/5

Coord: Kelsey McAbee

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

Ph+ only

Front Line

2<sup>nd</sup>+ Line**UCI 26-101 (NEW)**

ASC4REAL-2: A real-world chronic myelogenous leukemia (CML) patient disease registry to describe patient experience and clinical outcomes among patients with CML receiving approved first or second line tyrosine kinase inhibitor (TKI) therapy

Accrual: 0/11

Coord: TBA

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

## Newly Diagnosed

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

### SWOG-S2213

A Phase III, Randomized Study of Daratumumab, Cyclophosphamide, Bortezomib and Dexamethasone (Dara-VCD) Induction Followed by Autologous Stem Cell Transplant or Dara-VCD Consolidation and Daratumumab Maintenance in Patients with Newly Diagnosed AL Amyloidosis

Accrual: 0/5  
CRC: Alice Ting

### UCI 26-116 (NEW)

A Randomized Phase 3 Study to evaluate the efficacy and safety of NXC-201 compared with Daratumumab with Cyclophosphamide, Bortezomib and Dexamethasone (CyBorD) in Newly Diagnosed Systemic AL Amyloidosis [NEXICART-3]

Accrual: 0/3

Coord: TBA

## Newly Diagnosed

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

## Anti-BCMA

**UCI 23-158**

Phase I/II Study of  
Linvoseltamab (Anti-BCMA X  
Anti-CD3 Bispecific Antibody) in  
Previously Untreated Patients  
with Symptomatic Multiple  
Myeloma  
Accrual: 2/6 (opened 3/29/24)  
Coord: Alice Ting

## BsAbs

**UCI 26-69 (NEW)**

Sequential integration of  
bispecific monoclonal  
antibodies into Treatment of  
Newly Diagnosed Multiple  
Myeloma  
Accrual: TBA  
Coord: TBA

## CAR-T

**UCI 25-220 (NEW)**

A Phase III Open-Label,  
Randomised, Multicentre  
Study of Consolidation with a  
Single Administration of  
AZD0120 Compared with  
Continuous Standard Therapy  
in Participants with NDMM  
Who Are Not Planned to  
Receive ASCT as Initial Therapy  
Accrual: 0/5  
Coord: TBA

**UCI 25-221 (NEW)**

A Phase III, Multicentre Study  
to Evaluate Consolidation  
Treatment with AZD0120 vs  
ASCT, in Participants with  
Newly Diagnosed Multiple  
Myeloma who are Transplant  
Eligible  
Accrual: TBA  
Coord: TBA

## Relapsed/Refractory

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

## ≥ 1-3 prior lines

**UCI 26-07**

Phase 3 Randomized Study Comparing JNJ-79635322 vs. Teclistamab in Participants with R/R MM who Have Received 1-3 Prior Lines of Therapy

Accrual: 0/5  
Coord: TBA

**UCI 26-33**

Expanded Access Program for Mezigdomide (in combination with Carfilzomib/dex or Bortezomib/dex) For Patients with Relapsed/Refractory Multiple Myeloma (RRMM)

Accrual: 0/7  
Coord: Alice Ting

## ≥ 2 prior lines

**UCI 26-52**

A Phase IB, Multi-center, study of talquetamab in combination with iderdomide and Dexamethasone for the treatment of Relapsed or Refractory Multiple Myeloma

Accrual: 0/5  
Coord: TBD

## ≥ 3 prior lines

**UCI 25-116**

A Phase I Antitumor Activity of SIM0500, A Humanized GPTC5D-BCMA-CD3 Trispecific Antibody, in Participants with R/R MM

Accrual: 0/3  
Coord: Alice Ting

**UCI 26-07**

Phase 3 Randomized Study Comparing JNJ-79635322 versus Teclistamab in Participants with Relapsed or Refractory Multiple Myeloma who Have Received 1-3 Prior Lines of Therapy

Accrual: 0/5  
Coord: TBA

## Maintenance

**ALLIANCE-A062102**

Iberdomide Maintenance Therapy Following Idecabtagene Vicleucel CAR-T in R/R MM

Accrual: 0/5  
Coord: Michael Kunicki

## CAR-T

**UCI 25-62 (NEW)**

Expanded Access Protocol (EAP) for Patients Receiving Idecabtagene Vicleucel (ide-cel) that is Nonconforming for Commercial Release

Accrual: 0/5  
Coord: Michael Kunicki

## Other

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

## Supportive Care

**UCI 24-170**

Intravenous Gammagard Liquid (Immune Globulin Infusion, 10%) for Primary Infection Prophylaxis Compared With Secondary Infection Prophylaxis in Pts With MM Receiving B-Cell Maturation Antigen×CD3– Directed Bispecific Antibody Therapy  
Accrual: 0/10  
Coord: Alice Ting

**UCI 26-51**

A Phase 3, Prospective, Open-label multicenter, single-arm study to investigate the efficacy, safety and pharmacokinetics of IgPro20 in Subjects with Secondary Immune Deficiency due to Hematologic  
Accrual: TBD  
Coord: TBD

## Newly diagnosed

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

**UCI 23-19**

PhIII Odronextamab Comb  
w/CHOP vs Rituximab Comb  
w/CHOP

Accrual: 0/5  
Coord: Melisa Duvnjak

**UCI 24-22**

Loncastuximab Tesirine and  
Rituximab (Lonca-R)  
Followed by DA-EPOCH-R in  
Previously Untreated High-  
risk Diffuse Large B-cell  
Lymphoma  
Accrual: 0/1

Coord: Melissa Duvnjak

**26-59 (New)**

A Phase III study to  
Evaluate The Efficacy of  
Surovatamig Combined  
with Rituximab,  
Cyclophosphamide,  
Doxorubicin, Vincristine,  
and Prednisone (R-Chop) in  
previously untreated Large  
B-Cell Lymphoma

Accrual: 0/3  
Coord: TBD

**ETCTN-10717**

Phase Ib/II Trial of  
Pidnarulex in MYC Aberrant  
Lymphoma

Accrual: 0/2  
Coord: Melisa Duvnjak

## Relapsed/Refractory

### Tertiary Relapsed/Refractory

#### S2114

Consolidation therapy  
following CD19 CAR T-cell tx

Accrual: 1/6

Coord: Michael Kunicki

### 2+ Lines

#### UCI 23-114

Safety and Efficacy of IMPT-  
314, a CD19/20 Bispecific  
Chimeric Antigen Receptor  
(CAR) T Cell Therapy in B-cell  
NHL

Accrual: 9/10

Coord: Michael Kunicki

#### ETCTN-10717

Phase Ib/II Trial of  
Pidnarulex in MYC Aberrant  
Lymphoma

Accrual: 0/2

Coord: Melisa Duvnjak

#### **26-64 (New)**

A randomized, Open Label  
Study Evaluating the  
Efficacy and Safety of  
Cemacabtagene  
Ansegedleucel in  
Participants with Minimal  
Residual Disease After  
Response to First Line  
therapy for Large B-Cell  
Lymphoma (Alpha3)

Accrual: 0/3

Coord: TBD

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

Molecularly-Driven

## Newly diagnosed

### Low Grade

#### SWOG S2308

Phase III Study of  
Mosunetuzumab vs.  
Rituximab for Low Tumor  
Burden Follicular  
Lymphoma

Accrual: 1/5

Coord: Melisa Duvnjak

Open to Accrual
  Low Accruing
  Pending Activation/Suspended

## Relapsed/Refractory

■ Open to Accrual
 ■ Low Accrual
 ■ Pending Activation/Suspended

### 2nd Line+

#### UCI 22-134

Oral AS-1763 in patients  
w/ previously treated  
CLL/SLL or NHL

Accrual: 5/9

Coord: Kelsey McAbee

### 3rd Line+

### Consolidation

#### S2114

Consolidation therapy  
following CD19 CAR T-  
cell tx

Accrual: 1/6

Coord: Michael Kunicki

### Maintenance

#### **UCI 21-95**

Acalabrutinib  
Maintenance Following  
Cellular Therapy for  
LBCL Patients at High  
Risk for Relapse

Accrual: 0/5

Coord: Michael Kunicki

## Relapsed/Refractory

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

### Cell Therapy

TF FL or FL Grade 3B

On-label & Nonconforming

#### UCI 23-114

Safety and Efficacy of  
 IMPT-314, a CD19/20  
 Bispecific Chimeric  
 Antigen Receptor (CAR) T  
 Cell Therapy in B-cell NHL  
 Accrual: 9/10

Coord: Michael Kunicki

#### **UCI 25-70**

Ph III of LYL314 in 2L for  
 R/R B-Cell NHL

Accrual: 0/7

Coord: Michael K.

#### **UCI 25-63**

EAP for Lisocabtagene  
 Maraleucel (liso-cel) that is  
 Nonconforming for  
 Commercial Release

Accrual: TBD

Coord: Michael Kunicki

# Relapsed/Refractory

3<sup>rd</sup>+ Line

UCI 22-134

Oral AS-1763 in patients w/  
previously treated CLL/SLL or  
NHL

Accrual: 5/9

Coord: Kelsey McAbee

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

Cell Therapy

Molecularly-Driven

3<sup>rd</sup> Line+



## Relapsed/Refractory

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

EBV+

Molecularly-Driven

3<sup>rd</sup> Line+

## Newly diagnosed

■ Open to Accrual

■ Low Accruing

■ Pending Activation/Suspended

## High-Risk

**S1925**

Venetoclax+Obnutumab  
early intervention vs.  
delayed therapy in  
asymptomatic high-risk  
CLL/SLL

Accrual: 5/10

Coord: Kelsey McAbee

## Front Line

**UCI 25-192 (NEW)**

Randomized Study of  
Sonrotoclax (BGB-11417)  
Plus Zanubrutinib (BGB-  
3111) Compared with  
Venetoclax Plus  
Acalabrutinib in Patient  
with Previously Untreated  
CLL

Accrual: 0/7

Coord: TBA

**S2504 (NEW)**

A Randomized Phase III Study of Pirtobrutinib  
Plus R-CHOP vs. R-CHOP for Participants with  
Previously Untreated Richter Transformation  
(pirAMID)

Accrual: 0/5

Coord: TBA

## Follow Up

**UCI 25-205 (NEW)**

Long-term follow-up of  
ibrutinib plus venetoclax in  
patients with treatment-  
naïve CLL/SLL

Accrual: 0/6

Coord: TBA

## Relapsed/Refractory

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

2<sup>nd</sup>+ Line**UCI 24-190**

A Phase III Study of  
Sonrotoclax Plus Anti-CD20  
Antibody Therapies Versus  
Venetoclax + Rituximab in  
Patients With R/R CLL/SLL

Accrual: 1/7

Coord: Kelsey McAbee

**UCI 24-32**

Epcoritamab as Consolidation  
Therapy for High-risk Patients  
with Chronic Lymphocytic  
Leukemia on Bruton Tyrosine  
Kinase Inhibitor

Accrual: 0/24

Coord: Kelsey McAbee

**UCI 26-65 (NEW)**

Study of Surovatamig as  
Consolidation Therapy versus  
Observation after First-line  
Induction Therapy in  
Participants with Chronic  
Lymphocytic Leukaemia or  
Small Lymphocytic  
Lymphoma with Unmutated  
IGHV (SOUNDTRACK-C1)

Accrual: TBD

Coord: TBD

3<sup>rd</sup>+ Line**UCI 22-134**

Oral AS-1763 in patients w/  
previously treated CLL/SLL or  
NHL

Accrual: 5/9

Coord: Kelsey McAbee

**UCI 26-36 (NEW)**

Phase 2 Study to Evaluate  
NX-5948 in Adults with  
Relapsed/Refractory (R/R)  
(CLL) or (SLL) Previously  
Exposed to a Bruton's  
Tyrosine Kinase Inhibitor  
(BTKi) and a B-cell  
Lymphoma-2 Inhibitor (BCL-  
2i)

Accrual: 0/5

Coord: TBD

**UCI 26-84 (NEW)**

Phase 2 study of MK-1045 in  
Participants with Hematologic  
Malignancies

Accrual: TBD

Coord: TBD

## Relapsed/Refractory

■ Open to Accrual

■ Low Accruing

■ Pending Activation/Suspended

Molecularly-Driven

2+ Lines

### Consolidation

#### S2114

Consolidation therapy following  
CD19 CAR T-cell tx

Accrual: 1/6

Coord: Michael Kunicki

#### **26-64 (NEW)**

A randomized, Open Label  
Study Evaluating the Efficacy  
and Safety of Cemacabtagene  
Ansegedleucel in Participants  
with Minimal Residual  
Disease After Response to  
First Line therapy for Large B-  
Cell Lymphoma (Alpha3)

Accrual: 0/3

Coord: TBD

## Relapsed/Refractory

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

2+ Lines

Molecularly-Driven

### Cell Therapy

#### UCI 23-114

Safety and Efficacy of IMPT-314, a CD19/20 Bispecific Chimeric Antigen Receptor (CAR) T Cell Therapy in B-cell NHL

Accrual: 9/10

Coord: Michael Kunicki

### 3<sup>rd</sup> line+

#### UCI 22-134

Oral AS-1763 in patients w/ previously treated CLL/SLL or NHL

Accrual: 5/9

Coord: Kelsey McAbee

#### ETCTN-10717

Phase Ib/II Trial of Pidnarulex in MYC Aberrant Lymphoma

Accrual: 0/2

Coord: Melisa Duvnjak

#### UCI 24-174

Efficacy and Safety of ITK Inhibitor Soquelitinib Vs Physician's Choice SOC Treatment (Selected Single Agent) in R/R Peripheral T-cell Lymphoma, Follicular Helper T-cell Lymphomas, or Systemic Anaplastic Large-cell Lymphoma

Accrual: 1/5

Coord: Melisa Duvnjak

#### UCI 21-95

Acalabrutinib Maintenance Following Cellular Therapy for LBCL Patients at High Risk for Relapse

Accrual: 0/5

Coord: Michael Kunicki

## Relapsed/Refractory

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

2<sup>nd</sup> Line+**UCI 21-99**

ONO-4685 given as  
monotherapy

Accrual: 5/10

Coord: Melisa Duvnjak

**UCI 25-74 (Reopened)**

A Multicenter, Open-Label,  
First-In-Human, Multiple  
Expansion Cohort, Phase I/II  
Study to Evaluate the Safety  
and Efficacy of DR-01 in  
Subjects with LGLL or  
Cytotoxic Lymphomas

Accrual: 3/5

Coord: Melisa Duvnjak

**UCI 25-142**

Study of KK2223 in  
Participants with Relapsed or  
Refractory T-cell Non-Hodgkin  
Lymphoma

Accrual: 0/5

Coord: TBD

## Newly Diagnosed

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

Treatment-Naive

Post-Induction Treatment

**UCI 22-18**

Investigation of MRD in patients with treatment-naive systemic T cell lymphoma tx w/ a brentuximab-containing regimen

Accrual: 0/5

Coord: TBD

**ECOG EA4232**

Phase III Study to Evaluate ASCT in Patients with PTCL that Achieved a First CR1 Following Induction Therapy (PTCL-STAT)

Accrual: 0/5

Coord: TBD

## Relapsed/Refractory

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

R/R

1<sup>st</sup> Line +2<sup>nd</sup> Line +3<sup>rd</sup> Line +**UCI 24-174**

ITK Inhibitor Soquelitinib vs.  
MD Choice SOC Tx in  
Participants w/ R/R PTCL  
NOS, Follicular Helper T-cell  
Lymphomas, or Systemic  
Anaplastic Large-cell  
Lymphoma

Accrual: 1/5

Coord: Melisa Duvnjak

**UCI 21-99**

ONO-4685 given as  
monotherapy

Accrual: 5/10

Coord: Melisa Duvnjak

**UCI 25-142**

Study of KK2223 in  
Participants with Relapsed or  
Refractory T-cell Non-  
Hodgkin Lymphoma

Accrual: 0/5

Coord: TBD

## Relapsed/Refractory

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

**UCI 25-74**

Open-Label, First-In-Human,  
Multiple Expansion Cohort,  
Phase I/II Study to Evaluate  
the Safety & Efficacy of DR-  
01 in Subjects with LGLL or  
Cytotoxic Lymphomas

Accrual: 3/5

Coord: Melisa Duvnjak

## Newly Diagnosed

**COG-AHOD2131**

Standard Therapy with  
Immuno-oncology Therapy  
for Newly Diagnosed Stage I  
and II Classical Hodgkin  
Lymphoma

Accrual: 2/5

Coord: Melisa Duvnjak

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

## Relapsed/Refractory

2<sup>nd</sup> Line Only**UCI 25-21 (NEW)**

Pembrolizumab and GVD  
with ctDNA-guided  
Consolidation in Patients  
with Relapsed or Refractory  
Classic Hodgkin Lymphoma

Accrual: 0/5

Coord: TBA

■ Open to Accrual

■ Low Accruing

■ Pending Activation/Suspended

Molecularly-Driven

Basket study

## Relapsed/Refractory

Open to Accrual
  Low Accruing
  Pending Activation/Suspended

### ETCTN-10717

Phase Ib/II Trial of  
Pidnarulex in MYC  
Aberrant Lymphoma

Accrual: 0/2

Coord: Melisa Duvnjak

## CAR-T Products

### Allogeneic

#### NHL

#### ALL

#### UCI 25-209 (NEW)

UCART22 (allogeneic Anti-CD22 CAR-T) in R/R CD22+ B-ALL

Accrual: 0/3

Coord: TBA

■ Open to Accrual
 ■ Low Accruing
 ■ Pending Activation/Suspended

### Autologous

#### NHL

#### UCI 23-114

Safety & Efficacy of LYL314, a CD19/20 Bispecific CAR-T for R/R B-Cell NHL

Accrual: 9/10

Coord: Michael K.

#### UCI 25-63

EAP for Lisocabtagene Maraleucel (liso-cel) that is Nonconforming for Commercial Release

Accrual: TBA

Coord: Michael K.

#### MM

#### UCI 25-62

EAP for Vicleucel (ide-cel) that is Nonconforming for Commercial Release

Accrual: 0/5

Coord: Michael K.

#### UCI 25-220 (NEW)

AZD0120 Compared with Continuous Standard Therapy in NDMM Who Are Not Planned to Receive ASCT as Initial Therapy

Accrual: 0/5

Coord: TBA

#### UCI 25-221 (NEW)

AZD0120 Compared with Continuous Standard Therapy in NDMM Who Are ASCT Eligible

Accrual: TBA

Coord: TBA

## CAR-T Products

### Allogeneic

NHL

ALL

### Autologous

NHL

MM

AL

#### UCI 24-62

Ph III GPRC5D-directed CAR T Cell  
Therapy in Pts w/ R/R  
& Lenalidomide-exposed MM  
(QUINTESSENTIAL-2)

Accrual: 2/5

Coord: Michael K.

#### UCI 26-116 (NEW)

A Randomized Phase 3 Study to evaluate  
the efficacy and safety of NXC-201  
compared with Daratumumab with  
Cyclophosphamide, Bortezomib and  
Dexamethasone (CyBorD) in Newly  
Diagnosed Systemic AL Amyloidosis  
[NEXICART-3]

Accrual: 0/3

Coord: TBA

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

# Supportive Care

## Autologous

### UCI 23-193

CTO1681 for the Prevention & Treatment of CRS in pts w/ DLBCL receiving CAR-T Therapy

Accrual: 1/5

Coord: Michael K.

### Alliance-A062102

Iberdomide Maintenance Therapy Following Ide-Cel CAR-T in R/R Multiple Myeloma

Accrual: 0/5

Coord: Michael K.

### S2114

Consolidation Therapy Following CD19 CAR-T for R/R Large B-cell Lymphoma or Grade IIIB Follicular Lymphoma

Accrual: 1/6

Coord: Michael K.

### UCI 24-110

HaploDonor-QoL: Donor Health-Related Quality-of-Life and Physician Decision-Making in the Context of Haploidentical Hematopoietic Stem Cell Transplantation

Accrual: 0/7

Coord: Mario Diaz

## Allogeneic

### UCI 21-90

Risk-ADAPTEd conditioning regimen for AHSCT

Accrual: 34/48

Coord: Mario Diaz

### UCI 22-188

Prospective evaluation of CMV-TCIP directed Letemovir ppx after AHCT

Accrual: 24/50

Coord: Mario Diaz

### UCI 24-131 (Suspended)

Vimseltinib in Adults With Active Chronic GVHD After Failure of Prior Systemic Therapy

Accrual: 0/5

Coord: Mike K.

### UCI 25-139 (NEW)

Efficacy of SER-155 to Reduce Bloodstream Infections in Adults Undergoing Allogeneic HCT

Accrual: 0/5

Coord: TBD

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended

## LTFU

### Autologous

#### UCI 21-184

Long-term safety of CAR-T inpatient w/ heme malignancies

Accrual: 7/7

Coord: Michael Kunicki

#### UCI 26-30

UCHMC Review of Neurocognitive Deficits After CAR-T Therapy

Accrual: TBD

Coord: TBD

### Allogeneic

#### UCI 24-110

HaploDonor-QoL: Donor Health-Related Quality-of-Life and Physician Decision-Making in the Context of Haploidentical Hematopoietic Stem Cell Transplantation

Accrual: 0/7

Coord: Mario Diaz

#### UCI 26-86 (NEW)

A multicenter, prospective observational cohort study in US transplant centers

Accrual: 0/30

Coord: TBD

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended



## Other

■ Open to Accrual

■ Low Accruing

■ Pending Activation/Suspended

### **UCI 14-89**

Hematologic Malignancies Biorepository for human research

Accrual: 322/500

Coord: Helen Huang

### **UCI 22-194**

A Retrospective analysis of L-carnitine for Treatment and/or Prevention of L-Asparaginase Hepatotoxicity during Induction or Salvage Chemotherapy for Hematologic Malignancies

Accrual: TBA

Coord: TBD

### **UCI 24-05**

Repurposing Riluzole for Augmenting Brain-Derived Neuropathic Factor (BDNF) Levels and Cognitive Function in Patients Experiencing Cancer-Related Cognitive Impairment: An Interventional Pilot Clinical

Trial Accrual: 26/59

Coord: TBD

### **UCI 25-195**

Clinical utility Karius testing for diagnosis & management of suspected infections in adult immunocompromised patients

Accrual: 0/10

Coord: TBD

### **UCI 25-198 (NEW)**

A multicenter protocol for haploidentical stem cell transplantation: Optimization of transplant outcomes in a collaborative consortium

Accrual: TBD

Coord: TBD

### **UCI 25-226 (NEW)**

Prospective Observational International Registry of Patients with Newly Diagnosed Burkitt Lymphoma

Accrual: 0/5

Coord: TBD

### **UCI 26-51 (NEW)**

A Phase 3, Prospective, Open-label, Multicenter, Single-arm study to investigate the Efficacy, Safety, and Pharmacokinetics of IgPro20 in Subjects with Secondary Immune Deficiency due to Hematologic Malignancies Treated with B-cell Depleting Therapies

Accrual: TBD

Coord: TBD



## Other

### UCI 25-48

RiluzolE FOr Preventing Cognitive  
DysfUnction in Cancer PatientS Receiving  
Chemotherapy (REFOCUS)

Trial Accrual: 6/20

Coord: TBD

### **UCI 25-127 (NEW)**

Biofield Therapy (Reiki) for fatigue- for patients  
receiving immunotherapy and experiencing **fatigue**

Accrual: TBD

Coord: TBD

■ Open to Accrual ■ Low Accruing ■ Pending Activation/Suspended