


Epidemiologic

**UCI-13-02** Assessing Fitness and Physical Activity in Acute Lymphoblastic Leukemia (ALL) Patients in Remission (Aizik)



Correlative

**UCI-14-03** Role of inflammation in the pathogenesis of myeloproliferative neoplasm (Fleischman)

**UCI-16-01** **\*\*SUSPENDED\*\***  
Pathway Analyses for Individualized Network Therapeutics for Cancer (PAINT Cancer) (Nelson)

**UCI 15-65\*\***  
Effect of candidate blood cancer therapies on normal human lymphocytes (Fruman)

## CLL

### UCI 17-03

Phase 2 Study of the Combination of Ibrutinib Plus Venetoclax in Subjects with Treatment Naïve Chronic Lymphocytic Leukemia (CLL)/Small Lymphocytic Lymphoma (SLL)  
(O'Brien)

### UCI 16-95

A Phase 1b/2 Dose-Escalation and Cohort-Expansion Study of a Non-Covalent, Reversible Bruton's Tyrosine Kinase Inhibitor, SNS 062, in Patients With B-Lymphoid Malignancies (O'Brien)

### UCI 15-18

An Open-Label, Multicenter Phase 1 Study to Investigate the Safety and Tolerability of REGN1979, an Anti-CD20 x Anti-CD3 Bispecific Monoclonal Antibody, in Patients with CD20+ B Cell Malignancies Previously Treated with CD20-Directed Antibody Therapy (O'Brien)

### UCI 16-65

A Phase 1 clinical trial to evaluate obinutuzumab with high-dose Ibrutinib for the treatment of patients with chronic lymphocytic leukemia with progressive disease on single agent Ibrutinib  
(Jeyakumar)

### UCI 17-19 (CLL/SLL/Richters)

A Phase 1, Open-Label, Multicentre Study to Assess the Safety, Tolerability, Pharmacokinetics and Preliminary Antitumor Activity of Ascending Doses of AZD5991 in Subjects with Relapsed or Refractory Haematologic Malignancies (O'Brien)

## ALL

### ECOG E1910

A phase II Randomized Trial of Blinatumomab for Newly Diagnosed BCR-ABL-negative B lineage Acute Lymphoblastic Leukemia (ALL) (Jeyakumar)

### UCI 15-58 \*SUSPENDED\*

A Phase I/II Study Evaluating KTE-C19 in Subjects with Relapsed/Refractory ALL (O'Brien)

### UCI 16-13\*\*

A Phase I Dose Escalation with Two Disease Specific Expansions, Multicenter, Open-label, Safety, Pharmacokinetic and Pharmacodynamic Study of APTO-253 in Patients with Relapsed or Refractory Hematologic Malignancies (Jeyakumar)

### SWOG S1318 (Ph- Only) \*SUSPENDED\*

A Phase II Study of Blinatumomab (NSC-765986) and POMP (Prednisone, Vincristine, Methotrexate, 6-Mercaptopurine) for Patients  $\geq$  65 Years of Age with Newly Diagnosed Philadelphia-Chromosome Negative (Ph-) Acute Lymphoblastic Leukemia (ALL) and of Dasatinib (NSC-732517), Prednisone and Blinatumomab for Patients  $\geq$  18 Years of Age with Newly Diagnosed Philadelphia-Chromosome Positive (Ph+) ALL, and Philadelphia-Chromosome-Like Signature (Ph-Like) ALL (Newly Diagnosed or Relapsed/Refractory) with Known or Presumed Activating Dasatinib-Sensitive Mutations or Kinase Fusions (Jeyakumar)

### UCI 16-10

A Phase 1b, Open-Label, Dose Escalation and Expansion Study Evaluating the Safety and Efficacy of Entospletinib (GS-9973) with Vincristine and Dexamethasone in Adult Subjects with Relapsed or Refractory Acute Lymphoid Leukemia (ALL) (O'Brien)

### UCI 14-95\*\*

A Phase 1/2 Study of the Blinatumomab in Combination with the PD-1 Inhibitor Pembrolizumab (MK-3475) for the Treatment of Adults with Relapsed or Refractory B-Lineage Acute Lymphoblastic Leukemia (Jeyakumar)

## Lymphoma

### UCI 17-47\*\*

A Phase 1b/2 Open-Label, Dose Escalation and Expansion Study of Orally Administered VRx-3996 and Valganciclovir in Subjects with EBV-Associated Lymphoid Malignancies. (Brem)

### UCI 16-13\*\*

A Phase I Dose Escalation with Two Disease Specific Expansions, Multicenter, Open-label, Safety, Pharmacokinetic and Pharmacodynamic Study of APTO-253 in Patients with Relapsed or Refractory Hematologic Malignancies (Jeyakumar)

### UCI 17-58\*\*

Phase 1-2 Study of the Safety, Pharmacokinetics, and Preliminary Activity of ASTX660 in Subjects with Advanced Solid Tumors and Lymphomas. (Pinter-Brown)

### UCI 17-19 (T-Cell/NHL)

A Phase 1, Open-Label, Multicentre Study to Assess the Safety, Tolerability, Pharmacokinetics and Preliminary Antitumor Activity of Ascending Doses of AZD5991 in Subjects with Relapsed or Refractory Haematologic Malignancies (O'Brien)

### UCI 15-18

An Open-Label, Multicenter Phase 1 Study to Investigate the Safety and Tolerability of REGN1979, an Anti-CD20 x Anti-CD3 Bispecific Monoclonal Antibody, in Patients with CD20+ B Cell Malignancies Previously Treated with CD20-Directed Antibody Therapy (O'Brien)

### UCI 16-95

A Phase 1b/2 Dose-Escalation and Cohort-Expansion Study of a Non-Covalent, Reversible Bruton's Tyrosine Kinase Inhibitor, SNS 062, in Patients With B-Lymphoid Malignancies (O'Brien)

## T-Cell Lymphoma

### UCI 16-45

A Phase I/Ib, Dose Escalation Study to Evaluate Safety and Efficacy of RP6530, a dual PI3K  $\delta/\gamma$  inhibitor, in Patients with Relapsed or Refractory T-cell Lymphoma. (Pinter-Brown)

### UCI 16-46

A Phase 1 dose-ranging study to investigate the safety, tolerability and pharmacokinetics of MRG-106 following local intratumoral, subcutaneous, and intravenous administration in subjects with various lymphomas and leukemias (Pinter-Brown)

### UCI 17-36\*\*

A Clinical Study to Demonstrate Safety and Efficacy of E7777 in Persistent or Recurrent Cutaneous T-Cell Lymphoma. (Pinter-Brown)

### UCI 17-70\*\*

A Phase 2b Randomized Study to Assess the Efficacy and Safety of the Combination of Ublituximab + TGR-1202 with or without Bendamustine and TGR-1202 alone in Patients with Previously Treated Non-Hodgkin's Lymphoma (Pinter-Brown)

### UCI 17-82\*\*

A randomized, double-blind, multi-centre, placebo-controlled, parallel-arm phase 2 trial to assess safety, efficacy and pharmacokinetics of CD11301 0.03% and 0.06% gel in the treatment of Cutaneous T-Cell Lymphoma (CTCL), stages IA, IB and IIA. (Pinter-Brown)

## AML

### UCI 16-100

A Phase 2/3 Multicenter, Open-label, 3-arm, 2-Stage Randomized Study of ASP2215 (Gilteritinib), Combination of ASP2215 Plus Azacitidine and Azacitidine Alone in the Treatment of Newly Diagnosed Acute Myeloid Leukemia With FLT3 Mutation in Patients Not Eligible for Intensive Induction Chemotherapy (Jeyakumar)

### UCI 17-02\*\*

A Phase 1 Study Evaluating the Safety and Pharmacokinetics of ABBV-744 in Subjects with Metastatic Castrate Resistant Prostate Cancer (CRPC) and Relapsed/Refractory Acute Myeloid Leukemia (AML) (Jeyakumar)

### UCI 15-69

Phase 3 study of ASP2215 vs. Salvage Chemo in Pts w/ Relapsed or Refractory AML w/ FLT3 Mutation (Jeyakumar)

### UCI 16-13\*\*

A Phase I Dose Escalation with Two Disease Specific Expansions, Multicenter, Open-label, Safety, Pharmacokinetic and Pharmacodynamic Study of APTO-253 in Patients with Relapsed or Refractory Hematologic Malignancies (Jeyakumar)

## MPN

### UCI 17-31

An Open-Label Phase 2 Study of Itacitinib (INCB039110) in Combination With Low Dose Ruxolitinib or Itacitinib Alone Following Ruxolitinib in Subjects With Myelofibrosis (Fleischman)

## MDS

### UCI 14-93

Phase 1b Study of Ibrutinib and Azacitidine for the treatment of patients with higher risk MDS (Jeyakumar)

### UCI 16-13\*\*

A Phase I Dose Escalation with Two Disease Specific Expansions, Multicenter, Open-label, Safety, Pharmacokinetic and Pharmacodynamic Study of APTO-253 in Patients with Relapsed or Refractory Hematologic Malignancies (Jeyakumar)

## MALIGNANT HEMATOLOGY

### ECOG-EAY131

Molecular Analysis for Therapy Choice (MATCH) (Seery)

## Multiple Myeloma

### ECOG E1A11

Randomized Phase III Trial of Bortezomib, LENalidomide and Dexamethasone (VRd) Versus Carfilzomib, Lenalidomide, Dexamethasone (CRd) Followed by Limited or Indefinite DURATION Lenalidomide MaintenanANCE in Patients with Newly Diagnosed Symptomatic Multiple Myeloma (ENDURANCE) (Brem)

### UCI 17-19 (Myeloma)

A Phase 1, Open-Label, Multicentre Study to Assess the Safety, Tolerability, Pharmacokinetics and Preliminary Antitumor Activity of Ascending Doses of AZD5991 in Subjects with Relapsed or Refractory Haematologic Malignancies (O'Brien)

### UCI 14-96

A Phase I/II Study of PiC-D (Ixazomib in Combination with Pomalidomide, Clarithromycin and Dexamethasone) in Patients with Double Refractory Multiple Myeloma (Brem)